

GALLMED (enterosolvent) tablets

Paramedicament composed of natural substances, not qualified as a medicine, but effect of which has been proved by literal and therapeutic observations.

Composition:

7 medical herbs (sennae folium, sweet caraway, white wormwood, white mallow, horehound, sweet root, mint leaf), bile acids.

Indications:

1. To decrease and cease complaints connected with bile production and disorders of biliary routes
 - o to increase bile secretion
 - o to reduce the risk of bile stone formation
 - o to relieve complaints arising from biliary routes following biliary surgery
2. To reduce digestive system complaints especially digestive system (stomach) overload.
to cure bowel motion and defecation disorders (hard stool, irregular defecation)
3. ATo favorably influence blood cholesterol levels

Dosage:

1 to 3x1 to 2 tablets daily before main meals, depending on the complaints, the weight and the individual reaction. In case any main meal falls out taking tablets should be left out. You can talk the dosage over with your doctor. It is suggested taking a cure in case of serious or long-lasting complaints

	one cure's periods	at noon	evening	altogether (daily)	Total
1.	5 days	-----	1 tablet	1 tablet	5 tablets
2.	5 days	1 tablet	1 tablet	2 tablets	10 tablets
3.	5 days	2 tablets	2 tablets	4 tablets	20 tablets
4.	5 days	3 tablets	3 tablets	6 tablets	30 tablets
5.	5 days	2 tablets	2 tablets	4 tablets	20 tablets
6.	5 days	1 tablet	1 tablet	2 tablets	10 tablets
7.	5 days	-----	1 tablet	1 tablet	5 tablets
Total	35 days	-----	-----	-----	100 tablets/5 cardboards

One can deviate from the above suggested dosage adjusted to individual 3 tablets complaints, but not more than 6 tablets are suggested to be taken daily.

Cure is advised not to be interrupted, though interruption does not cause any harm. Cure can be repeated in needed intervals.

A cure should not last longer then six months. Following the end of treatment it is suggested having a medical check up in order to exclude possible disorders concealed by the effect of the preparate which require medical treatment.

In case following cure(s), complaints persist, or undesirable effects occur, it is advised to interrupt the cure and to see a doctor.

If complaints recur after stopping treatment, in agreement with your doctors advise, 1 to 2 tablets of maintenance dose can be taken daily before meals at noon or in the evening.

Contraindications:

- acute biliary colic, or jaundice caused by biliary tract obstruction
- pregnancy

Side effects:

Depending on individual sensitivity, light diarrhea may occur during the beginning of treatment and Nausea of short duration may occur immediately after taking the tablet(s).

When the diarrhea and nausea are unendurable, it is recommended to stop taking of the tablets.

Drug interactions:

The preparat can be applied together with drugs, however it is recommended to stop during GALLMED cure other drugs containing bile acids or cholagog agents with a view to the examination, separability of the effect.

Warnings:

The preparate is to be protected from heat and moistness.

The strong smell of preparete is a characteristics of it and has nothing to do with its quality.

Do not administer tablets crushed for it has a strong bitter taste.

Expiry date: 5 years after date of production

Producer: PHARMAFONTANA Budapest

Distributor: NICO Ltd. 6500 Baja Szarvas G. u. 3. Tel/Fax: +36-79-326581

Registration, licence number: OGYI-503/1995

The preparation is protected by patent.